ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to drovide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper of training premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

CONSTRUCTION INSURANCE PROGRAM

This form is used only to drovide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper of training premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

10	SECTION A PRO	PERTY INFO	RMATION		FOR INSURANCE COMPANY USE	
BUILDING OWNER'S NAME		POLICY NUMBER				
John Barney						
STREET ADDRESS (Including Ap 1403 Commonwealth		COMPANY NAIC NUMBER				
OTHER DESCRIPTION (Lot and E Lot 5.02, Block &						
CITY	JOI	<u> </u>		STATE	ZIP CODE	
	oper Township]	New Jersey	08248	
	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION		
rovide the following from the	ne proper FIRM (See	Instructions):				
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)	
340159	14	С	7/15/92	V11	13FT MSL	
. Indicate the elevation dat b. For Zones A or V, where the community's BFE:	no BFE is provided o	n the FIRM, an	d the community has esta	ablished a BFE (Other (describe on back) or this building site, indicate	
	SECTION	ON C BUILDI	NG ELEVATION INFORM	IATION		
of feed (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The foone) the highest grade level) elevated in acco. 3. Indicate the elevation da under Comments on Page the FIRM [see Section equation under Comments. 4. Elevation reference marks.	ot NGVD (or other FIF VE, and V (with BFE) is at an elevation of L BFE). The floor used the highest grade action of the highest grade action of the build ordance with the community of the system used in die 2). (NOTE: If the B, Item 7], then converts on Page 2.)	RM datum—see . The bottom of the bottom of the das the reference level from the bottom of the bottom of the determining the elevation datument the elevation. RM: X Yes	Section B, Item 7). If the lowest horizontal strands are the NGVD (or other FIR nee level from the selecter uilding. In the selected diagram is a depth number is available ain management ordinant above reference level elem used in measuring the ensity of the datum system used. No (See Instructions of	uctural member M datum-see S d diagram is e, is the building ce? Yes vations: X NG elevations is diffe sed on the FIRM n Page 4)		
case this certificate will or will be required once con	tion drawings is only nly be valid for the bu struction is complete.	valid if the build ilding during th)	ding does not yet have the e course of construction.	e reference level A post-construc	tion Elevation Certificate	
5. The elevation of the lower Section B, Item 7).	est grade immediately	adjacent to the	e building is: 1118	.00 .feet NGVD	(or other FIRM datum-see	
	s	ECTION D CO	OMMUNITY INFORMATION	N		
1. If the community official is not the "lowest floor" a floor" as defined by the c2. Date of the start of const	s defined in the commodinance is:	munity's floodpl	ain management ordinan IGVD (or other FIRM dati	ce, the elevation		


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME		LICENSE NUMBER (or Alfix Seal)					
	•			205	09		
Michael W. Hyland	COMPAN	VNAME					
TITLE			ng DA				
P.E. & L.S.		yland Associate	25, r.n.		7/0		
ADDRESS	CITY			STATE	ZIP		
101 East Eighth Street	Ocean City,		<u>Ne</u>	w Jersey	08226		
SIGNATURE MANAGEMENT		October 14.		HONE 09) 398-447	7		
Copies should be made of this Certifica							
** .		•					
		E					
					•		



The diagrams above Illustrate the points at which the elevations should be measured in A Zones and V Zones.

State of the Comment

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

October 1990