

ELEVATION CERTIFICATE

O.M.B. NO. 3067-0077 Expires May 31, 1996

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to be termine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

		. •					
	SECTION A PRO	PERTY INFO	RMATION		FOR INSURANCE COMPANY USE		
BUILDING OWNER'S NAME Michael J. & Bar	POLICY NUMBER						
STREET ACCRESS (Induding Apt. 708 Bayview Driv		COMPANY NAIC NUMBER					
OTHER DESCRIPTION (Lot and Blo Lot 2, Block 826							
Strathmere, Uppe	state NJ	zip code 08248					
	SECTION B FLO	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION			
Provide the following from the	e proper FIRM (See l	nstructions):					
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)		
340159	0014	В	6/1/84	A 10	10		
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): X NGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: feet NGVD (or other FIRM datum—see Section B, Item 7)							
SECTION C BUILDING ELEVATION INFORMATION							
1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level _5 2(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of							
	SEC	CTION D CC	MMUNITY INFORMATION	NC			
1. If the community official resis not the "lowest floor" as floor" as defined by the ord 2. Date of the start of constru FEMA Form 81-31, MAY 93	defined in the commulation of its communication of substantial in	unity's floodpla	ain management ordinan IGVD (or other FIRM dati	ce, the elevation um-see Section	of the building's "lowest		


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1—A30, AE, AH, A (with BFE),V1—V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME Mark J. Gibson		LICENSE NUMBER (or 32115	r Affix Seai)	
TITLE Land Sur	vevor	COMPANY NAME Gibson Associates, P.	. A .	
ADDRESS	dis Avenue	CITY Sea Isle City	stat NJ	E ZIP 08243
SIGNATURE	non	DATE 1/	23/95 PHONE (609) 263-3178
Copies should	be made of this Certif	licate for: 1) community official, 2) insurance age	ent/company, and 3) bu	ilding owner.
COMMENTS:	Residence is	a single story wood frame resid	dence elevated	on timber
		a single story wood frame resid		



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.