ELEVATION CERTIFICATE

O.M.B. No. 3067-0077 Expires July 31, 1999

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

	SECTION A PR	OPERTY INFO	RMATION		EOR INSURANCE COMPANY USE				
BUILDING OWNER'S NAME		FOR INSURANCE COMPANY USE POLICY NUMBER							
J. Michael Rich		COMPANY NAIC NUMBER							
Commonwealth Aveormer Description (Lot and Lot 6.02, Block	Block Numbers, etc.)	n Avenue							
Strathmere		n Philippin and Economics and Assistant assessment of Philippin and among a philippin and analysis and a second		STATE	ZIP CODE				
Stratimere	N.J. INFORMATION	08248							
Provide the following from t	······································								
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION				
340159	0014	В	6/1/84	A10	6. BASE FLOOD ELEVATION (in AO Zones, use depth)				
7. Indicate the elevation dat	um system used on t	he FIRM for Ba	ase Flood Elevations (BFE): X NGVD '29	Other (describe on back)				
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): X NGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate									
the community's BFE:	feet N	GVD (or other	FIRM datum-see Section	B, Item 7)					
1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	SECTION	ON C BUILDI	NG ELEVATION INFORM	IATION					
(c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The form one) the highest grade level) elevated in accomments on Pagethe FIRM [see Section Lequation under Comments)	VE, and V (with BFE) is at an elevation of BFE). The floor used the highest grade action used as the refer adjacent to the build rdance with the community system used in deed 2). (NOTE: If the 68, Item 7], then converts on Page 2.)	d as the referent das the referent to the bear to the data and the selevation data are the elevation data.	of the lowest horizontal strain feet NGVD (or other FIR nee level from the selected uilding. In the selected diagram is depth number is available ain management ordinance above reference level elem used in measuring the ensity to the datum system uses the datum system sys	M datum—see Sed diagram is feet all e, is the building ee? Yes vations: X NGV elevations is different on the FIRM	ection B, Item 7). feet above or ove or below (check s lowest floor (reference No Unknown 'D '29 Other (describe rent than that used on and show the conversion				
4. Elevation reference mark used appears on FIRM: Yes No (See Instructions on Page 4) 5. The reference level elevation is based on: X actual construction construction drawings CONSTRUCTION (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)									
6. The elevation of the lowe Section B, Item 7).	st grade immediately	adjacent to the	e building is: 7	feet NGVD	or other FIRM datum-see				
	SE	CTION D CC	PMMUNITY INFORMATIO)N					
If the community official reads is not the "lowest floor" as floor" as defined by the or 2. Date of the start of constructions.	s defined in the comm rdinance is:	nunity's floodpla	ain management ordinand IGVD (or other FIRM datu	e, the elevation of m-see Section E	of the building's "lowest				


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICEI			**************************************			
David C. Kruger	N.J.P.L.S. # 30406						
Prof. Land Surveyor	COMPANY NAME David C. Kruger Associates						
ADDRESS 3323 Simpson Avenue	спү Ocean City		Walling the feet and the second		STATE N.J.	ZIP 08226	
SIGNATURE		DATE	2/10/98	PHONE	(609)	391-9393	
Copies should be made of this Certificate	e for: 1) community official, 2) i	nsurance	agent/comp	oany, and	d 3) buildi	ng owner.	
COMMENTS:					Porton Anno Anno Anno Anno Anno Anno Anno A		
						THE RECEIVED LANGUAGE CONTRACT OF THE PARTY	
	se me water () () ()					<u> </u>	
						The second secon	



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.