ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

	SECTION A PR	OPERTY INFO	RMATION		FOR INSURANCE COMPANY USE						
BUILDING OWNER'S NAME		POLICY NUMBER									
Robert Harris											
STREET ADDRESS (Including Ap 17 Whittier Ave		COMPANY NAIC NUMBER									
OTHER DESCRIPTION (Lot and I Lot 21, Block 8	•										
Strathmere, Upp	state Jersey	08248									
	SECTION B F	LOOD INSURA	NCE RATE MAP (FIRM)	INFORMATION							
Provide the following from the	he proper FIRM (See	Instructions):									
1. COMMUNITY NUMBER	2. PANEL NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 5. FIRM		5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)							
340159	14	C ·	7/15/92	A10	10FT MSL						
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): X NGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:											
	SECTION	ON C BUILDI	NG ELEVATION INFORM	MATION							
 (b). FIRM Zones V1-V30, V the selected diagram, i (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The flone) the highest grade 	VE, and V (with BFE) is at an elevation of L BFE). The floor used the highest grade action used as the refer adjacent to the build rdance with the commum system used in die 2). (NOTE: If the 63, Item 7), then conve	d as the referer diacent to the brence level from ing. If no flood nunity's floodpletermining the elevation datum	feet NGVD (or other FIR noce level from the selected uilding. In the selected diagram is depth number is available ain management ordinance above reference level elemused in measuring the elemused in measuring the	ructural member and datum—see Se d diagram is feet all e, is the building ce? Yes vations: X NGV elevations is different and the control of t	of the reference level from ection B, Item 7). feet above or bove or below (check is lowest floor (reference No Unknown 7) '29 Other (describe rent than that used on						
4. Elevation reference mark		RM: 🛛 Yes 🗆	No (See Instructions of	n Page 4)							
5. The reference level elevation is based on: 🗓 actual construction 🗋 construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)											
S. The elevation of the lower Section B, Item 7).	st grade immediately	adjacent to the	e building is: 1116	.41 feet NGVD	(or other FIRM datum-see						
	SE	CTION D CC	MMUNITY INFORMATION	N							
I. If the community official re is not the "lowest floor" as floor" as defined by the or I. Date of the start of constr	defined in the community dinance is:	nunity's floodpla ⊥⊥.∐ feet N	ain management ordinand IGVD (or other FIRM datu	ce, the elevation	of the building's "lowest						


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community Issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME			LIC	x Seal)					
Michael W.	Hyland					·	20509		
TITLE			ANY NAME						
P.E. & L.S	•	Michael W.	Hyland	Assoc	iates,	P.A.			
ADDRESS		CITY				STAT		ZIP	
101 East.E	ighth Street	Ocean City	· · · · · · · · · · · · · · · · · · ·			New Jerse	У	08226	
SIGNATURE	Hully ()		-	ber 7,	1995	PHONE (609) 398	-4477	7	
Copies should be	e made of this Certificate	for: 1) community	official, 2) Insuran	ce agent	company, and 3) be	ullding	owner.	
COMMENTS:	Kitchen (main f	loor) 10.44							
COMMENTS									
					, , , , , , , , , , , , , , , , , , ,				
								<u> </u>	



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.